DOI: 10.2478/cjf-2023-0005

CODEN RIBAEG ISSN 1330-061X (print) 1848-0586 (online)

from anglers from the Croatian side and both groups of fishermen from



# DECLINE OF ARTISANAL FISHERIES IN THE CROATIAN SECTION OF THE SAVA RIVER

**Tomislav Treer** 

Department of Fisheries, Apiculture, Wildlife Management and Special Zoology, Faculty of Agriculture, University of Zagreb, Svetošimunska 25, 10000 Zagreb, Croatia

\*Corresponding Author: treer@agr.hr

ARTICLE INFO	ABSTRACT
Received: 26 October 2022 Accepted: 1 December 2022	The aim of this research is to analyse the trends of the total artisanal fish catch in the Croatian section of the Sava River. All 17 years of the study (2004-2020) showed a negative trend that became highly statistically
	significant ( $p$ <0.01) in the last eight years. In addition to the total catch, the catch per unit effort (CPUE) also decreased significantly ( $p$ <0.05) throughout the study. The reasons for these negative trends are discussed, including a possible decline in artisanal interest, higher fishing pressure

<i>Keywords:</i> Freshwater Professional fishermen CPUE Total fish catch	the river bank of Bosnia and Herzegovina, as well as negative influence of the polluted waters of the large Bosnian river Bosna, which prior to flowing into the lower section of the Sava River, passes through urban and industrial cities. It is suggested to activate the old idea of a common fisheries management body that would include both groups of fishermen (anglers and artisanal fishermen), government representatives and scientists from both countries.
How to Cite	Treer, T. (2023): Decline of artisanal fisheries in the Croatian section of the Sava River. Croatian Journal of Fisheries, 81, 45-48. DOI: 10.2478/cjf-2023-0005.

#### INTRODUCTION

Freshwater commercial fisheries are still a very important source of food at the world level, providing food for nearly a billion people, and are important in the livelihoods of millions of households worldwide. However, there are very big differences in their importance in different areas of the world. In most of Africa, Southeast Asia and Latin America, it is a significant source of food and income, particularly for small-scale artisanal fishermen in rural populations in those low-income countries with extensive freshwater resources (Lynch, 2020).

On the other hand, its importance has been declining in Europe, North America and Australia for several decades. In Europe, after a slow expansion from the 1950s to the 1980s, catches have steadily declined over the past decades, more so in the north and west than in eastern countries (Treer et al., 1999; Sipponen, 2010; Cowx, 2015). The Sava River is the longest Croatian river with the largest catchment area and is part of the Danube catchment area (Hrvatske vode, 2017). The upper part of the river is entirely located in Croatia where only recreational angling is allowed. In the lower part of the river, which flows along the border with Bosnia and Herzegovina, both angling and commercial (i.e. artisanal) fisheries are allowed in both countries.

Human-driven changes to aquatic environments threaten small-scale fisheries. It is reflected even in scientific publications. Smith et al. (2021) analyzed 302 publications in ecology journals and found that inland fisheries were understudied. Therefore, the aim of this research is to analyse trends in the total artisanal catch in the Croatian section of the Sava River.

#### **MATERIAL AND METHODS**

The official data was obtained by the competent Directorate of fisheries of the Croatian Ministry of Agriculture on the basis of annual artisanal reports (MP, 2004; 2005; 2006; 2007; 2008; 2009; 2010; 2011; 2012; 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020). Despite any potential limitations, this data is fundamental to supporting the sustainable management of freshwater fisheries and may be useful in defining catch trends (e.g. Fitzgerald, 2018; Group Author, 2020; Schubert, 2022).

For all data, the correlation between the average annual catch size and CPUE with the respective year was determined. Catch per unit effort (CPUE) relates to the average annual catch of active fishermen who reported catch. Statistical analysis was calculated using IBM SPSS Statistics ver.19.0.

#### **RESULTS AND DISCUSSION**

The total artisanal fish catches in the Croatian section of the Sava River showed the usual oscillations in all 17 years of the study (Treer and Kubatov, 2017). However, even they expressed a slow negative trend (slope of the regression line b = -121.044 kg year<sup>-1</sup>). This negative trend became statistically highly significant (p<0.01) during the last eight years (Fig. 1), so the catch in 2020 became only about a quarter of that in 2013 and 2014. This can be a consequence of a combination of different reasons.



**Fig 1.** Total fish catch (kg) of artisanal fishermen in the Croatian section of the River Sava from 2013 to 2020 ( $R^2=0.942$ ; p<0.01)

Since 2014, when 17 artisanal fishermen were active, this number dropped to just seven out of eighteen who have licenses in 2020. This decline in interest is in correlation with similar trends in many other European countries (Wedekind, 2001; Rad, 2012; Cowx, 2015). Nevertheless, fishing pressure in this part of the river is high. In Vukovar-Sirmium County, participation in the total angler catch exceeds participation in the number of anglers compared to the entire Croatian Sava catchment (Piria et al., 2020). Furthermore, in this section of the Sava River, from its right bank, commercial and recreational fishermen from Bosnia and Herzegovina also catch fish. The additional indicator of high fishing pressure is the fact that the significantly (p<0.05) smallest specimens and the smallest quantities of the four most important fish species are caught in the same county, compared to other counties at the Sava River (Treer, 2021; 2022). Khan (2016) demonstrated that the Indus River in Pakistan is threatened by discharges of untreated industrial and municipal effluents which have led to the collapse of artisanal fisheries. Canales-Gomez et al. (2022) reported the same for Mexico. Similarly, the additional negative influence could be the polluted waters of the large Bosnian river Bosna which, prior to flowing into the lower section of the Sava River, passes through urban and industrial cities (Tousova et al., 2019).

In addition to total catch, catch per unit effort (CPUE) also decreased significantly (p<0.05) throughout seventeen years of research, with only one better year in 2008 (Fig. 2). Studying CPUE is essential to understanding the processes of exploited population dynamics and to manage heterogeneously distributed resources and uses (Leopold et al., 2014).

This is important for both commercial and recreational fisheries, as demonstrated by Skov et al. (2017) who analyzed this parameter over 62 years in a Danish Esrom Lake.



Fig 2. Total CPUE (kg) of artisanal fishermen in the Croatian section of the River Sava from 2004 to 2020 ( $R^2=0.312$ ; p<0.05)

The decline in total catch and CPUE in the Croatian section of the Sava River is a clear sign of the decline of artisanal fisheries. Nevertheless, as these fisheries occur along the border river with Bosnia and Herzegovina, in order to provide successful management, it would be useful to activate an old idea of a common body that includes both groups of fishermen, government officials and scientists (Treer et al., 1999). There are many successful examples such as the Minho River between Spain and Portugal (Antunes, 2016), Lake Geneva between France and Switzerland (Treer, 2003) and shared natural resources in line with EU environmental and biodiversity conservation objectives between Albania, North Macedonia and Montenegro (Pietrock, 2019).

## SMANJENJE PROFESIONALNOG RIBOLOVA U HRVATSKOM DIJELU RIJEKE SAVE

### SAŽETAK

Cilj ovoga rada je analizirati trendove u ukupnom ulovu gospodarskih ribara na hrvatskom dijelu rijeke Save. Kroz 17 godina istraživanja (2004-2020) ukupni ulov je pokazao negativni trend, koji je postao statistički značajan (*p*<0,01) kroz posljednjih osam godina. Osim ukupnog ulova, i ulov po jedinici napora (CPUE) je značajno opadao (*p*<0,05) kroz cijelo istraživano razdoblje. Razlozi za ove negativne trendove su raspravljeni, uključujući mogući pad interesa komercijalnih ribara, veći ribolovni pritisak hrvatskih ribiča i obje skupine ribara s bosanskohercegovačke obale, kao i utjecaj onečišćenih voda rijeke Bosne, Predlaže se aktiviranje stare ideje o uspostavi zajedničkog tijela za upravljanje ribolovom iz obje zemlje, koje bi uključivalo obje skupine ribara (ribiča i komercijalnih), predstavnike upravnih tijela, te znanstvenike.

Ključne riječi: slatke vode, gospodarski ribari, CPUE, ukupni ulov

#### REFERENCES

- Antunes, C., Cobo, F., Araujo, M. J. (2016): Iberian inland fisheries. In: Craig J. F. (Ed.) Freshwater Fisheries Ecology, Craig Consultancy, Dumfries, Scotland, UK, 268-282.
- Canales-Gomez, E., Diaz-Gomez, R., Cervantes-Rios, J., Tellez-Lopez, J. (2022): Mapping and threats to cultural ecosystem services from artisanal fisheries for regional development in an anthropized sub-basin of western Mexico. Eure-Revista Latinoamericana de Estudios Urbano Regionales. 48, DOI: 10.7764/eure.48.143.10.
- Cowx, I. G. (2015): Characterisation of inland fisheries in Europe. Fisheries Management and Ecology, 22, 78-87.
- Fitzgerald, C. J., Delanty, K., Shephard, S. (2018): Inland fish stock assessment: Applying data-poor methods from marine systems. Fisheries Management and Ecology, 25, 240-252.
- Group Author (2020): Data collection systems and methodologies for the inland fisheries of Europe. FAO Fisheries and Aquaculture Technical Paper, 649, i-x, 1-166.
- Hrvatske vode (2017): Sava rijeka s najduljim vodotokom u Hrvatskoj. (in Croatian. Available at: https:// www.voda.hr/hr/novosti/sava-rijeka-s-najduljimvodotokom-u-hrvatskoj
- Khan M. N. (2016): Review of the Decline in Freshwater Natural Resources and Future of Inland Fisheries and Aquaculture: Threatened Livelihood and Food Security in Indus Valley, Pakistan. Freshwater, Fish and the Future: Proceedings of the Global Cross-Sectoral Conference, 211-218.
- Leopold, M., Guillemot, N., Rocklin, D., Chen, C. (2014). A framework for mapping small-scale coastal fisheries using fishers' knowledge. ICES Journal of Marine Science, 71, 1781-1792.
- Lynch, A. J., Bartley, D. M., Beard, Th., Douglas, J., Cowx,
  I. G., Funge-Smith, S., Taylor, W. W. Cooke, S. J. (2020):
  Examining progress towards achieving the Ten Steps of
  the Rome Declaration on Responsible Inland Fisheries.
  Fish and Fisheries, 21, 190-203.
- MP (2004): Ulov g.r. Sava-Dunav 2004. (In Croatian. Catch of artisanal fishermen Sava-Danube 2004. Croatian Ministry of Agriculture)
- MP (2005): Ulov g.r. Sava-Dunav 2005. (In Croatian. Catch of artisanal fishermen Sava-Danube 2005. Croatian Ministry of Agriculture)
- MP (2006): Ulov g.r. Sava-Dunav 2006. (In Croatian. Catch of artisanal fishermen Sava-Danube 2006. Croatian Ministry of Agriculture)
- MP (2007): Ulov g.r. Sava-Dunav 2007. (In Croatian. Catch of artisanal fishermen Sava-Danube 2007. Croatian Ministry of Agriculture)
- MP (2008): Ulov g.r. Sava-Dunav 2008. (In Croatian. Catch of artisanal fishermen Sava-Danube 2008. Croatian Ministry of Agriculture)

- MP (2009): Ulov g.r. Sava-Dunav 2009. (In Croatian. Catch of artisanal fishermen Sava-Danube 2009. Croatian Ministry of Agriculture)
- MP (2010): Popis mjesečnog ulova GR za 2010. (In Croatian. List of monthly catch of artisanal fishermen in 2010. Croatian Ministry of Agriculture)
- MP (2011): Popis mjesečnog ulova GR za 2011. (In Croatian. List of monthly catch of artisanal fishermen in 2011. Croatian Ministry of Agriculture)
- MP (2012): Popis mjesečnog ulova GR za 2012. (In Croatian. List of monthly catch of artisanal fishermen in 2012. Croatian Ministry of Agriculture)
- MP (2013): Popis mjesečnog ulova GR za 2013. (In Croatian. List of monthly catch of artisanal fishermen in 2013. Croatian Ministry of Agriculture)
- MP (2014): Popis mjesečnog ulova GR za 2014. (In Croatian. List of monthly catch of artisanal fishermen in 2014. Croatian Ministry of Agriculture)
- MP (2015): Popis mjesečnog ulova GR za 2015. (In Croatian. List of monthly catch of artisanal fishermen in 2015. Croatian Ministry of Agriculture)
- MP (2016): Popis mjesečnog ulova GR za 2016. (In Croatian. List of monthly catch of artisanal fishermen in 2016. Croatian Ministry of Agriculture)
- MP (2017): Popis mjesečnog ulova GR za 2017. (In Croatian. List of monthly catch of artisanal fishermen in 2017. Croatian Ministry of Agriculture)
- MP (2018): Popis mjesečnog ulova GR za 2018. (In Croatian. List of monthly catch of artisanal fishermen in 2018. Croatian Ministry of Agriculture)
- MP (2019): Popis mjesečnog ulova GR za 2019. (In Croatian. List of monthly catch of artisanal fishermen in 2019. Croatian Ministry of Agriculture)
- MP (2020): Popis mjesečnog ulova GR za 2020. (In Croatian. List of monthly catch of artisanal fishermen in 2020. Croatian Ministry of Agriculture)
- Pietrock, M., Ritterbusch, D., Braemick, U., Peveling, R. (2019): Fisheries management and fish stock investigations at three large transboundary lakes of the Balkans: Lakes Ohrid, Prespa and Shkoder - Part 1. Presentation of the Developmental Program 'CSBL' Oesterreichs Fischerei, 72, 27-36.
- Piria, M., Špelić, I., Matulić, D., Tomljanović, T., Gavrilović, A., Radočaj, T. Treer, T. (2020): Završno izvješće o provođenju programa praćenja stanja u slatkovodnom ribarstvu u 2020. godini, Grupa B) Ribolovno područje Sava. Naručitelj: Ministarstvo poljoprivrede, Izvršitelj: Sveučilište u Zagrebu Agronomski fakultet, Zagreb, 115 p.
- Rad, F., Rad, S. (2012): A Comparative Assessment of Turkish Inland Fisheries and Aquaculture Using Economic Sustainability Indicators. Turkish Journal of Fisheries and Aquatic Sciences, 12, 349-361.

48

- Schubert, A., Nyingi, W., Tuda, P., Aura, C. M., Obiero, K., Manyala, J., Cowx, I. G., Vianna, G. M., Ansell, M., Meeuwig, J. J., Zeller, D. (2022): Reconstructing Kenya's total freshwater fisheries catches: 1950-2017. Marine and Freshwater Research, 73, 57-70.
- Sipponen, M., Mitchell, M., Vanberg, J. (2010): Does a property rights regime affect the outcome of European inland commercial fisheries? Knowledge and Management of Aquatic Ecosystems. 399, DOI: 10.1051/kmae/2010032.
- Skov Ch., Jansen, T., Arlinghaus, R. (2017): 62 years of population dynamics of European perch (*Perca fluviatilis*) in a mesotrophic lake tracked using angler diaries: The role of commercial fishing, predation and temperature. Fisheries Research, 195, 71-79
- Smith, H., Lozano, A. G., Baker, D., Blondin, H., Hamilton, J., Choi, J., Basurto, X., Silliman, B. (2021): Ecology and the science of small-scale fisheries: A synthetic review of research effort for the Anthropocene. Biological Conservation, 254, DOI: 10.1016/j.biocon.2020.108895
- Sukop I., Spurny P., Turansky R. (1994): Food Biology of the Fishes in the Dyje River Under Waterworks at Nove-Mlyny. Zivocisna Vyroba, 39: 77-83.
- Tousova, Z., Vrana, B., Smutna, M., Novak, J., Klucarova, V., Grabic, R., Slobodnik, J., Giesy, J. P., Hilscherova, K. (2019): Analytical and bioanalytical assessments of organic micropollutants in the Bosna River using a combination of passive sampling, bioassays and multiresidue analysis. Science of the Total Environment, 650, 1599-1612.
- Treer T., Safner R., Aničić I., Kolak A. (1999): Ribolovno gospodarenje Podunavljem. Ribarstvo 57 (4): 171-179.
- Treer T. (2003): Ribarsko gospodarenje Ženevskim jezerom. Ribarstvo, 61: 75-82.
- Treer T., Kubatov I. (2017): The co-existence of recreational and artisanal fisheries in the central parts of the Danube and Sava rivers. Croatian Journal of Fisheries, 75: 116-127.
- Treer, T. (2021): The average weight of fish caught by anglers at the Croatian section of the Sava river catchment. Croatian Journal of Fisheries, 79, 71-74.
- Treer T. (2022): Trends in Total Anglers' Catch at the Croatian Section of the Sava River Catchment. Croatian Journal of Fisheries, 80, 97-101.
- Wedekind, H., Hilge, V., Steffens, W. (2001): Present status, and social and economic significance of inland fisheries in Germany. Fisheries Management and Ecology, 8, 405-414.